

# Indices

Separate indices are provided for subject (concept or task), SAS command, and R command. References to the examples are denoted in *italics*.

# Subject index

- 3-D
  - histogram, 219
  - plot, 222
- 95% confidence interval
  - mean, 86
  - proportion, 86
- Abrams, Allyson, xxv
- absolute value, 59
- accelerated failure time model, 163
- access
  - elements in R, 365
  - files, 81
  - variables, 17
- add
  - lines to plot, 244
  - marginal rug plot, 245
  - matrices, 64
  - noise, 243
  - normal density, 245
  - straight line, 242
  - text, 246
  - variables, 19
- age** variable, 107, 381
- agreement, 89
- AIC, 143, 170
- airline delays, 336
- Akaike information criterion (AIC), 143, 170
- alcohol abuse, 383
- alcoholic drinks
  - HELP dataset, 382
- Allaire, J.J., xxii
- Aloisio, Kathryn, xxii
- altitude, 325
- analysis of variance
  - interaction plot, 223
  - one-way, 117
  - two-way, 117, 139
- analytic power calculations, 95
- and operator, 47
- angular plot, 224
- annotating datasets, 43
- ANOVA
  - interaction plot, 223
  - one-way, 117
  - tables, 169
- Aotearoa (New Zealand), 357
- API (application programming interface), 334
- Apple R FAQ, 359
- application programming interface (API), 334
- arbitrary quantiles, 85
- area under the curve, 225
- ARIMA model, 162
- Arnold, Tim, 288
- arrays, 44, 74
  - extract elements, 367
- arrows, 247
- ASCII
  - datasets, 12
  - encoding, 27
- assertions, 76
- assignment operators in R, 365
- association plot, 224
- attach dataframes, 361
- attributable risk, 87
- attributes
  - R, 369
- AUC (area under the curve), 225
- Auckland, University of, 357
- automated report generation, 106, 287
- autoregressive model, 162
- available datasets in R, 377
- AvantGarde font, 252
- average
  - running, 318
- average number of drinks
  - HELP dataset, 382
- axes
  - labels, 254
  - multiple, 218

- omit, 256
- range, 253
- style, 253
- values, 254
- barchart
  - error bars, 216
- barplot, 211
- Base SAS, 341
- baseline interview, 379
- basic concepts
  - SAS, 347
- batch mode, 356, 362
- Bates, Douglas, 357
- Bayesian
  - external software, 291
  - inference task view, 290, 294, 373
  - information criterion, 170
  - logistic regression, 292
- BCA intervals, 303
- Bergstrahl, Erik, 299
- best linear unbiased predictors, 158
- beta
  - distribution, 86
  - function, 60
- bias corrected and accelerated, 304
- bias-corrected and accelerated, 303
- BIC, 170
- big data, 5, 29, 114, 336
- Bike ride, 325
- binned scatterplot, 219
- binomial family, 150
- binomial probabilities
  - tabulation, 317
- bivariate
  - loess, 155
  - relationship, 101, 217–219
- Bland-Altman plot, 228
- BMDP files, 6, 13
- BMP export, 258
- book website, xxv
- Boolean
  - operations, 25, 31, 47, 238
  - R, 366
- bootstrapping, 31, 303
- box around plots, 252
- boxplot, 214
  - side-by-side, 193, 215
- Bradley Airport, 336
- Breslow estimator, 163
- Breslow-Day test, 91
- Breusch-Pagan test, 124
- “broken stick” models, 159
- bug reports, 377
- byte code compiler, 373
- c statistic, 151
- calculate derivatives, 62
- calculus, 62
- Call, Gregory, xxii
- calling functions from R, 369
- case
  - sensitivity, 356, 360
  - statement, 21
- case sensitivity, xxiv
- categorical data, 50
  - as predictor, 114
  - from continuous, 20
  - generation, 261
  - parameterization, 115, 296
  - plot, 224
  - tables, 103
- Cauchy
  - distribution, 86
  - link function, 150
- causal inference, 296
- censored data, 163, 227, 269
- Center for Epidemiologic Studies Depression (CESD) scale, 381
- centering, 85
- Central Limit Theorem, 274
- CESD, 43, 44
- `cesd` variable, 43, 381
- `cesdtv` variable, 188
- chained equation models, 306
- Chambers, John, 357
- change working directory, 80
- character translations, 27
- character variable, *see* string variable
- characteristics, test, 87
- characters, plotting, 242
- chemometrics task view, 373
- chi-square
  - distribution, 86
  - statistic, 91
- Cholesky decomposition, 158
- choose function, 60
- choropleth maps, 223, 327
- circadian plot, 224
- circular plot, 224
- class methods, 369
- class variable, 50

- creating, 116
  - ordering of levels, 116
- classification, 166, 205
- clear graphics settings, 136
- clinical trial, 379
  - task view, 373
- closest values, 315
- closing a graphic device, 260
- cluster analysis
  - task view, 373
- clustering
  - hierarchical, 168
  - task view, 166, 168
- cocaine, 383
- Cochran–Mantel–Haenszel test, 91
- code completion, 357
- code examples
  - downloading, xxv
- coefficient
  - of determination, 127
  - of variation, 303
  - regression, 124
- coercing
  - character variable from numeric, 24
  - dataframes into matrices, 368
  - date from character, 4
  - date to numeric, 37
  - factor variable from numeric, 21
  - matrices into dataframes, 368
  - numeric from character, 4
  - numeric from integer, 23
  - string variable from numeric, 20
- collinearity, 156
- color
  - palettes, 255
  - selection, 255
- column width, 40
- combine matrices, 63
- Comic Sans font, 252
- comma separated value (CSV) files, 4, 12
- command history, 80
  - R, 359
  - SAS, 349
- comments
  - R, 367
  - SAS, 343
- comparison
  - floating point variables, 61
  - operators, 365
- compiler, 373
- complementary log-log link function, 150
- complex fixed format files, 3, 321
  - two lines, 331
- complex numbers, 61
- complex survey design, 168
- component-wise matrix multiplication, 66
- Comprehensive R archive network, 358
- computational economics task view, 373
- computational physics task view, 373
- concatenate, 286
  - datasets, 35
  - matrices, 63
  - strings, 24
- conditional execution, 72
- conditional logistic regression model, 151
- conditional probability, 278
- conditioning plot, 221, 232
- confidence interval, 78
  - for parameter estimates, 125
  - for predicted observations, 226
  - for the mean, 226
  - proportion, 86
- confidence level
  - default, 78
- confidence limits
  - for individual (new) observations, 126
  - for the mean, 125
  - plotting, 126
- confounding, 296
- constrained optimization, 337
- contingency table, 90
  - plot, 224
- contingency tables, 103
- contour plots, 222
- contrasts, 146
  - Helmert, 116
  - polynomial, 116
  - SAS, 116
  - treatment, 116
- control flow, 71
- control structures, 71, 362
- controlling graph size, 250
- controlling Type-I error rate, 119
- convergence diagnosis for MCMC, 290, 294
- convergence problems, 265
- converting covariance to correlation matrix, 128
- converting datasets
  - long (tall) to wide format, 34

- wide to long (tall) format, 33
- Cook’s Distance, 122
- coordinate systems (maps), 325
- correlated data, 190
  - generating, 267
  - regression models, 157
  - residuals, 158
- correlation
  - Kendall, 89
  - matrix, 101, 128, 238
  - Pearson, 89
  - Spearman, 89
- cosine function, 60
- count models
  - goodness of fit, 171
  - negative binomial regression, 153, 180
  - Poisson regression, 153, 176
  - zero-inflated negative binomial, 154
  - zero-inflated Poisson regression, 154, 178
- Courier font, 252
- covariance matrix, 127, 128, 190
- covariate imbalance, 296
- Cowles, Kate, 290
- Cox proportional hazards model, 163, 200
  - frailty, 163
  - proportionality test, 164
  - simulate data, 269
  - time-varying covariate, 165
- CPU time, 78
- Cramer’s V, 91
- CRAN (Comprehensive R Archive Network), 358
- CRAN task views, *see* task views
- create
  - ASCII datasets, 12
  - categorical variable from continuous, 20
  - categorical variable using logic, 21
  - CSV (comma separate value) files, 12
  - datasets for other packages, 13
  - date variable, 37
  - factors, 116
  - files for other packages, 13
  - functions, 78
  - lagged variable, 28
  - matrix, 63
  - numeric variable from string, 22
- observation number, 32
- recode categorical variable, 21
- string variable from numeric, 20
- time variables, 39
- creating
  - dataset from counts, 87
- Cronbach’s  $\alpha$ , 166, 201
- cross-classification table, 48, 90
- cross-validation
  - generalized, 155
- crosstabs, 90, 103
- CSV (comma separated value) files, 4, 12
- cumulative
  - density function, 53
  - hazard, 164
  - hazard plots, 228
  - product, 319
  - sum, 319
- Curran, James, 162
- curve plotting, 224
- custom graphic layouts, 251
- Dalgaard, Peter, 357
- dashed line, 254
- data
  - display, 18, 350
  - entry, 10
  - from R into SAS, 327
  - from Stata into SAS, 327
  - generation, 71
  - input, 39
  - output, 40
  - scraping, 330
- Data Expo 2009, 336
- data input
  - two lines, 331
- data step
  - range of variables, 74
  - repeat steps for a set of variables, 74
  - SAS, 347
- data structures in R, 365
- data technologies, 15
- data viewer, 357
- database system, 29, 336
- dataframes, 365
  - comparison with column bind, 368
  - comparison with matrix, 368
  - detaching, 17
  - R, 367
  - remove from workspace, 368
- dataset

- comments, 19
- from counts, 87
- HELP study, 381
- other packages, 6
- R, 377
  - subset, 350
- datasets, xxv
- date and time variables
  - create date, 37
  - create time, 39
  - extract month, 38
  - extract quarter, 38
  - extract weekday, 38
  - extract year, 38
  - reading, 3
- dayslink** variable, 111, 381
- DBF files, 6, 13
- debugging, 76, 345
  - RStudio, 76
- decimal representation, 61
- Deducer, 359
- default confidence level, 78
- defining functions, 78
- delete objects, 365
- density
  - estimation, 213, 220
  - plot, 213, 220
- density functions, 53
  - generate random, 54
  - probability, 54
  - quantiles, 54
- density plot, 101, 109
  - overlapping, 216
- depressive symptoms, 43
- derivatives, 62
- derived variable, 19, 44, 47
- design matrix, 127, 143, 172
  - specification, 115, 296
- design of experiments task view, 373
- design weights, 168
- detach
  - dataframes, 17, 139, 368
  - packages, 17, 185, 368
- determinant, 67
- detoxification program, 379, 381
- deviance, 150
  - tables, 169
- dfits, 123
- diagnostic agreement, 87, 225
  - ROC curve, 235
- diagnostic plots, 123, 136
- diagnostics from linear regression, 135
- diagonal elements, 66, 67
- Diedrich, Holger, 213
- difference in log-likelihoods, 169
- difference in sets, 24
- differences between SAS and R, xxiv
- differential equations
  - task view, 373
- dimension, 64
- diploma problem, 276
- directory delimiter, 2
- directory structure in R, 2
- directory structure in SAS, 2
- dispersion parameter, 181
- display data, 18, 42
- display format, 350
- display missing categories, 90
- displaying information about objects, 369
- displaying model results, 11
- distance metric, 25
- distribution
  - beta, 86
  - Cauchy, 86
  - chi-squared, 86
  - empirical probability density plot, 214
  - exponential, 86
  - F, 86
  - gamma, 86
  - geometric, 86
  - logistic, 86
  - lognormal, 86
  - negative binomial, 86
  - normal, 54, 86
  - parameters, 86
  - Poisson, 86
  - probability, 53
  - q-q plot, 225
  - quantile, 54
  - quantile-quantile plot, 225
  - stem plot, 212
  - t, 86
  - Weibull, 86
- DocBook document type definition, 14
- document type definition, 14
- documentation
  - R, 362
  - SAS, 346
- dotplot, 212
- downloading
  - code examples, xxv

- drinks of alcohol
  - HELP dataset, 382
- drinkstat variable, 47
- dropping variables, 30
- drugrisk variable, 238, 381
- DTD, 14
- duplicated values, 32
- dynamic graphics task view, 373
- dynamite plot, 216
- ecological data task view, 373
- econometrics task view, 373
- edit distance, 25
- editing data, 10
- efficiency
  - programming, 349
  - vector operations, 72
- Efron estimator, 163
- eigenvalues and eigenvectors, 67
- elapsed time, 39
- else statement, 362
- empirical
  - density plot, 109
  - estimation, 276
  - finance task view, 373
  - power calculations, 284
  - probability density plot, 214
  - variance, 161, 197
- encoding
  - ASCII, 27
- entering data, 10
- environment, 369
- environmental task view, 373
- Epi Info files, 6
- equal variance test, 93
- error bars
  - bar chart, 216
- error recovery, 76
- etiquette
  - R, 377
- evaluate integrals, 62
- Evans, Michael, 271
- exact
  - confidence intervals, 86
  - logistic regression model, 152
  - test of proportions, 92
- example code
  - downloading, xxv
  - R, 361
  - SAS, 343
- Excel
  - creating, 12
  - reading, 5
- excess
  - kurtosis, 84
  - zeroes, 154
- exchangeable working correlation, 161
- execution
  - conditional, 72
  - in operating system, 79
  - profiling, 76
- expected cell counts, 105
- expected values, 276
- experimental design task view, 373
- exponential
  - distribution, 86
  - random variables, 58, 274
- exponentiation, 59
- export
  - BMP, 258
  - datasets for other packages, 13
  - Excel, 12
  - graphs, 256
  - JPEG, 258
  - PDF, 256
  - PNG, 259
  - postscript, 256
  - TIFF, 259
  - WMF (windows metafile format), 258
- expressions
  - R, 365
- extensible markup language (XML), 9, 14
- extract characters from string, 23
- extract from objects, 89, 367
- F distribution, 86
- f1 variables, 45, 46, 201, 381
- factor
  - analysis, 166, 202
  - levels, 115, 296
  - reordering, 116
  - variable, 50, 114
- factorial function, 60
- failure time data, 163
- Falcon, Seth, 357
- false positive, 225
- family
  - binomial, 150
  - Gamma, 150
  - Gaussian, 150

- inverse Gaussian, 150
- Poisson, 150
- FAQ**
  - Apple R, 359
  - R, 364, 377
  - Windows R, 358
- female** variable, 47, 382
- Fibonacci sequence, 320
- file
  - browsing, 81
  - variable format, 7
- finance task view, 373
- find
  - approximate string, 25
  - closest values, 315
  - string within a string, 25
  - working directory, 80
- finite mixture models
  - task view, 313, 373
- Fisher’s exact test, 92, 103
- fit model separately by group, 138
- fixed format files, 2, 3
- flight delays, 336
- floating point representation, 61
- follow-up interviews, 379
- fonts in graphics, 252
- footnotes, 246
- for statement, 362
- foreign format, 43
- formatted
  - data, 12, 350
  - model results, 11
  - output, 287
  - variables, 28
- formula object, 90, 113
- forward stagewise regression, 171
- Foundation for Statistical Computing
  - R, 357
- Fox, John, 165
- fraction of missing information, 311
- frailty model, 163
- frequently asked questions
  - see FAQ, 364
- Friedman’s “super smoother”, 245
- Friendly, Michael, 224
- functions, 77
  - plotting, 224
  - R, 78, 369
- fuzzy search, 25
- G-rho family of Harrington and Fleming, 111
- g1b** variable, 232, 382
- g1btv** variable, 187, 197
- GAM, 155
- Gamma
  - distribution, 86
  - family, 150
  - function, 60, 271
  - regression, 149
- Gaussian
  - distribution, 53
  - family, 150
- Gelman, Andrew, 271, 273
- gender** variable, 50, 382
- general linear model for correlated data, 157, 190
- generalized additive model, 155, 185
- generalized cross-validation, 155
- generalized estimating equation, 197
  - exchangeable working correlation, 161
  - independence working correlation, 161
  - unstructured working correlation, 161
- generalized linear mixed model, 161, 199
- generalized linear model, 149, 172
  - correlated outcomes, 160
- generalized logit model, 152, 183
- generalized multinomial model, 152
- generate
  - arbitrary random variables, 58
  - categorical data, 261
  - correlated binary variables, 267
  - Cox model, 269
  - dataset from counts, 87
  - exponential random variables, 58
  - generalized linear model random effects, 264
  - grid of values, 75
  - logistic regression, 263
  - multinomial random variables, 56
  - multivariate normal random variables, 56
  - normal random variables, 56
  - other random variables, 58
  - pattern of repeated values, 73
  - predicted values, 120
  - random variables, 53
  - residuals, 121
  - sequence of values, 73

- truncated normal random variables, 58
- uniform random variables, 55
- genetics task view, 373
- genf** variable, 139
- Gentleman, Robert, 357
- geometric distribution, 86
- getting
  - data from R into SAS, 327
  - data from Stata into SAS, 327
  - help in R, 377
  - started with SAS, 346
- GitHub, 357
- goodness of fit, 171, 178
  - ROC curve, 235
- Google Maps, 325
- GPS coordinates, 325
- Grömping, Ulrike, 213
- graduation, 276
- grammar of graphics, 325
- graphical layouts, 251
- graphical models task view, 373
- graphical settings, 253
- graphical user interface
  - deducer, 359
  - R, 359
- graphics
  - boxplot, 214
  - choropleth, 327
  - exporting, 256
  - side-by-side boxplots, 215
  - size, 250
  - task view, 211, 373
- greater than operator, 47
- grid
  - graphics, 373
  - of values, 75
  - rectangular, 248
  - search, 337
- grouping variable
  - linear model, 283
  - summary statistics, 281
- growth curve models, 159
- Gruen, Bettina, 313
- guide to packages
  - R, 372
- guidelines
  - R-help postings, 377
- Hadoop, 29
- Hakim, Tanya, xxv
- hanging rootogram, 172
- Harrell, Frank, 39, 128, 216, 371
- Harrington and Fleming G-rho family, 111
- harvesting data, 330
- hat matrix, 122
- hat-check problem, 276
- hazard plots, 228
- Health Evaluation and Linkage to Primary Care (HELP) study, 379
- health survey
  - SF-36, 382
- Helmert contrasts, 116
- HELP study
  - clinic, 383
  - dataset, 381
  - introduction, 379
  - results, 379
- help system
  - other resources, 377
  - R, 361, 362
  - R packages, 373
  - SAS, 346
- Helvetica font, 252
- heroin, 383
- Hesterberg, Tim, 274
- heteroscedasticity test, 124
- hierarchical clustering, 168, 208
- high-performance computing task view, 373
- histogram, 100, 213
  - comparing, 215
- history
  - of commands, 80, 359
  - R, 357
  - SAS, 341
- homeless** variable, 103, 172, 382
- homelessness, 381
- homogeneity of odds ratio, 91
- honest significant difference, 119, 144
- Hornik, Kurt, 357
- Hosmer–Lemeshow test, 171
- hospitalization, 381
- Hotelling’s t, 162
- HTML files, 14
  - harvesting data, 330
  - reproducible output, 290
  - SAS, 351, 355
- HTTP/HTTPS, 9, 332
- Huber variance, 197

*Subject index*

407

- hypertext markup language format (HTML), 14
- hypertext transport protocol (HTTP), 9
- i1** variable, 47, 176, 382
- i2** variable, 47, 382
- Iacus, Stefano, 357
- id number, 32
- id** variable, 382
- identifying points, 249
- identity link function, 150
- if statement, 30, 72, 362
- Ihaka, Ross, xxv, 357
- ill-conditioned problems, 156
- image plot, 222
- imaginary numbers, 61
- imaging task view, 373
- import data, 6
- imputation, 306
- in statement, 362
- income inequality, 155
- incomplete data, 304, 306
- independence working correlation, 161
- index
  - R, xxiv
  - SAS, xxiv
  - subject, xxiv
- indexing
  - in R, 43, 323
  - lists, 366
  - matrix, 66
  - vector, 365
- indicator variable, 115, 296
- individual level data, 87
- indtot** variable, 172, 231, 382
- InDUC (Inventory of Drug Use Consequences), 382
- infinite values, 305
- influence, 122
- information matrix, 127
- installing
  - packages in R, 371
  - R, 358
  - RStudio, 359
  - SAS, 341
- integer
  - functions, 60
  - problems, 340
- integration, 62
- interaction, 117
  - linear regression, 130
  - plot, 139, 223
  - testing, 141
  - two-way ANOVA, 139
- intercept
  - no, 116
- intersection, 24
- interval censored data, 227
- introduction
  - R, 357, 362
  - RStudio, 357
  - SAS, 341
- Inventory of Drug Use Consequences, *see* **indtot** variable
- inverse
  - Gaussian family, 150
  - link function, 150
  - matrix, 65
  - probability integral transform, 58
- iterative proportional fitting, 153
- JAGS, 291
- jitter points, 243
- joining datasets, 35
- joins, 29
- Jones, Albyn, xxv
- JPEG export, 258
- Kaplan, Danny, 224
- Kaplan–Meier plot, 227, 234
- Kappa, 89
- keeping variables, 30
- Kendall correlation, 89
- kernel smoother plot, 213, 220
- knapsack problem, 337
- knitr, 287
- Knuth, Donald, 287
- Kolmogorov–Smirnov test, 94, 108
- Kosanke, Jon, 299
- Kruskal–Wallis test, 94
- Kuhfeld, Warren, 288
- kurtosis, 84
- L1-constrained fitting, 170
- labels for variables, 18
- Laplace approximation, 265
- large data, 5, 29, 114, 336, 349
- large sample assumption, 274
- lasso method, 170
- latent class analysis, 167
- L<sup>A</sup>T<sub>E</sub>X output, 287
  - R, 134

- SAS, 351, 355
- Lavine, Michael, 273
- learning SAS, 346
- least absolute shrinkage and selection operator, 170
- least angle regression, 171
- least squares
  - linear, 113
  - nonlinear, 155
- legend, 69, 248
- Leisch, Friedrich, 287, 313, 357
- length
  - of string, 23
  - of vector, 65
- Lenth, Russell, xxv, 287
- less than operator, 47
- Levene’s test for equal variances, 93
- Levenshtein edit distance, 25
- leverage, 122
- library
  - help, 373
  - R, 371
- license, SAS, 341
- Ligges, Uwe, 357
- likelihood ratio test, 141, 169
- line
  - on plot, 244
  - style, 254
  - types, 254
  - width, 255
- linear combinations of parameters, 120
- linear discriminant analysis, 167, 206
- linear models, 113
  - by grouping variable, 283
  - categorical predictor, 114
  - diagnostic plots, 123
  - diagnostics, 135
  - generalized, 149
  - interaction, 117, 130
  - no intercept, 116
  - parameterization, 115, 296
  - R object, 113
  - residuals, 121
    - standardized, 121
    - studentized, 121
  - standardized residuals, 121
  - stratified analysis, 283
  - studentized residuals, 121
  - test for heteroscedasticity, 124
- linear programming, 340
- link function
  - cauchit, 150
  - cloglog, 150
  - identity, 150
  - inverse, 150
  - log, 150
  - logit, 150
  - probit, 150
  - square root, 150
- linkage to primary care, 381
- linkstatus** variable, 111, 382
- Linux installation
  - R, 358
- Lipsitz, Stuart, 267
- list files, 81
- lists, 366
  - extract elements, 89, 367
- literate programming, 287
- Little, Roderick, 306
- local polynomial regression, 245
- locating points, 249
- loess
  - bivariate, 155
- log
  - base 10, 59
  - base 2, 59
  - base e, 59
  - link function, 150
- log file
  - R, 80
  - SAS, 349
- log scale, 255
- log-likelihood, 170
- log-linear model, 153
- logic, 21
- logical expressions, 20, 21
- logical operator, 20, 365
- logistic
  - distribution, 86
  - generalized, 183
- logistic regression, 149, 172
  - Bayesian, 292
  - c statistic, 151
  - generating, 263
  - goodness of fit, 171
  - Nagelkerke  $R^2$ , 151
  - ROC curve, 235
- logit link function, 150
- lognormal
  - distribution, 54, 86
  - regression, 149
- logrank test, 95, 111

- long (tall) to wide format conversion, 34
- longitudinal regression, 157
  - reshaping datasets, 187
- looping, 71, 188
- lower to upper case conversions, 27
- lowess, 155, 185, 244
- Lucida font, 252
- Lumley, Thomas, 169, 357
- M estimation, 156
- machine learning
  - task view, 167, 373
- machine precision, 61
- Macintosh R FAQ, 359
- macros, 77
  - SAS, 303
- MAD regression, 156
- Maechler, Martin, 357
- mailing list
  - R-help, 377
- make variables available, 17
- manipulate string variables, 23, 25, 26
  - remove spaces, 27
  - split, 26
- MANOVA, 162
- Mantel-Haenszel test, 91
- maps
  - choropleth, 223, 327
  - coordinate systems, 325
  - Google Maps, 325
  - plotting, 321
- margin specification, 253
- marginal
  - histograms, 232
  - plot, 245
- Markdown, 14, 287
- Markov Chain Monte Carlo, 271, 290, 294
- matching, 296
- mathematical constants, 60
- mathematical expressions, 69, 247
- mathematical functions
  - absolute value, 59
  - beta, 60
  - choose, 60
  - exponential, 59
  - factorial, 60
  - Fibonacci sequence, 320
  - gamma, 60
  - integer functions, 60
  - log, 59
- maximum value, 59
- mean value, 59
- minimum value, 59
- modulus, 59
- natural log, 59
- permute, 60
- square root, 59
- standard deviation, 59
- sum, 59
- trigonometric functions, 60
- mathematical symbols
  - adding, 247
- mathematics task view, 62, 373
- matrix
  - addition, 64
  - combine, 63
  - component-wise multiplication, 66
  - concatenate, 63
  - correlation, 128
  - covariance, 127, 128
  - creation, 63
  - design, 127
  - dimension, 64
  - extract elements, 367
  - graphs, 123
  - hat, 122
  - indexing, 66, 367
  - information, 127
  - inversion, 65
  - large, 63
  - multiplication, 57, 65, 127, 366
  - overview, 63
  - plots, 221
  - R, 367
  - sparse, 63
  - transposition, 64
- maximization, 265
- maximum likelihood estimation, 86
- maximum number of drinks
  - HELP dataset, 382
- maximum value, 59
- McArdle, Brian, xxv
- MCMC, 271, 290, 294
- McNemar’s test, 92
- mcs variable, 101, 382
- mean, 59, 83, 86
  - by group, 281
  - trimmed, 84
- mean-difference plot, 228
- median regression, 156
- medical imaging task view, 373

- medical problems, 381  
 memory usage, 76  
 merging datasets, 35  
 meta analysis task view, 373  
 metadata, 369  
 methods, 369, 374  
 metric for distance, 25  
 Metropolis–Hastings algorithm, 271  
 MICE (chained equations), 306  
 Microsoft rtf format, 257  
 Microsoft Word format, 257  
 minimum absolute deviation regression, 156  
 minimum value, 59  
 Minitab files, 6  
 missing data, 45, 304, 306  
 tables, 90  
 missing information fraction, 311  
 missing values, 96  
 recoding, 306  
 mixed model, 158  
 generating, 264  
 logistic, 160, 161  
 logistic regression, 199  
 model  
   comparisons, 143, 169  
   diagnostics, 135  
   selection, 143, 170  
   specification, 117, 130  
 modeling language, 90, 113, 282  
 modulus, 59  
 moments, 84  
 Mongo databases, 29  
 month variable, 38  
 Monty Hall problem, 278  
 mosaic plot, 224  
 Mosteller, Fred, 276  
 motivational interview, 379  
 moving average model, 162  
 Mplus, 168  
 multicollinearity, 156  
 multilevel models, 160  
 multinomial model  
   generalized, 152  
   logit, 183  
   nominal outcome, 152  
   ordered outcome, 152  
 multinomial random variable, 56  
 multiple comparisons, 119, 144  
 multiple imputation, 306  
 multiple plots per page, 250  
 multiple y axes, 218, 230  
 multiplication  
   matrix, 57, 65  
 multivariate statistics  
   task view, 166, 373  
 multivariate test, 162  
 multiway tables, 91  
 Murdoch, Duncan, 357  
 Murrell, Paul, xxv, 15, 211, 230, 357  
 Nagelkerke  $R^2$  for logistic regression, 151  
 named arguments in R, 78, 370  
 named lists, 366  
 names and variable types, 17  
 native data files, 12  
 native files, 1  
 natural language processing task view, 373  
 negative binomial distribution, 86  
 negative binomial regression, 153, 180  
   zero-inflated, 154  
 Nelson–Aalen estimate, 164  
 nested models, 149  
 nested quotes, 18  
 New Century Schoolbook font, 252  
 new users  
   R, 362  
 New Zealand (Aotearoa), 357  
 next statement, 362  
 NIAAA, 379  
 NIDA, 379  
 NLP optimization, 62  
 no intercept, 116  
 noise  
   add to points, 243  
 nonlinear least squares, 155  
 nonparametric tests, 94, 108  
 nonrandomized studies, 296  
 normal density, 245  
 normal distribution, 53, 54, 68, 84, 86  
 normal random variables, 56  
   truncated, 58  
 normality testing, 92  
 normalizing, 85  
   constant, 271  
   residuals from linear model, 121  
   residuals from mixed model, 158  
 not operator, 305  
 notched boxplot, 216  
 NP completeness, 337  
 number of digits to display, 11

- numeric from string, 22
- numerical mathematics task view, 373
- object-oriented programming, 369
- objects
  - displaying, 369
  - R, 365
  - remove, 365
- observation number, 32
- observational studies, 296
- Octave files, 6
- ODBC, 29
- odds ratio, 87, 105
  - homogeneity, 91
- ODS, *see* output delivery system
- official statistics, 168
  - task view, 169, 373
- omit axes, 256
- OnDemand for Academics, 341
- one-way analysis of variance, 117
- open-source, xxiii
- OpenBUGS, 291
- operating system
  - change working directory, 80
  - execute command, 79
  - find working directory, 80
  - list files, 81
  - pause execution, 79
- optimization, 62
  - task view, 62, 373
  - with constraints, 337
- options
  - R, 369
  - SAS, 349
- OR (odds ratio), 87
- or operator, 47, 365
- order statistics, 84
- ordered factor, 114
- ordered logistic model, 152, 182
- ordered multinomial model, 152
- ordering of levels, 116
- ordinal logit, 152, 182
- orientation
  - axis labels, 254
  - boxplot, 214
- output data from analysis, 351
- output delivery system, 345, 351
- output file formats
  - R, 288
  - SAS, 351, 355
- overdispersion, 149, 150
- overplotting, 219
- packages
  - detaching, 17
  - help, 373
  - R, 371
  - remove from workspace, 368
- page, multiple plots per, 250
- pairs plot, 236
- pairwise differences, 119, 144
- Palatino font, 252
- palettes of colors, 255
- Parade magazine, 278
- parallel
  - boxplots, 193, 215
  - computation, 374
  - computing task view, 373
  - processing, 371
- parameter estimates
  - confidence interval, 125
  - standard errors, 125
  - used as data, 124
- parameter estimation
  - univariate distribution, 86
- parameterization of categorical variable, 115, 172, 296
  - reference category, 143
- partial file read, 2
- pathological distribution
  - sampling, 271
- pause execution for a time interval, 79
- pcs variable, 101, 382
- pdf output
  - exporting, 256
  - SAS, 351, 355
- peakedness, 84
- Pearson correlation, 89
- Pearson’s  $\chi^2$  test, 91, 103, 171
- percentiles
  - probability density function, 54
- Perl
  - interface, 29
  - modules, 13
- permutation test, 94, 108
- permute function, 60
- permuted sample, 31
- pharmacokinetic task view, 373
- phi coefficient, 91
- pi ( $\pi$ ), 60
- Pioneer Valley, 325
- plot

- adding arrows, 247
- adding footnotes, 246
- adding polygons, 247
- adding shapes, 247
- adding text, 246
- arbitrary function, 224
- characters, 242
- conditioning, 221
- curve, 224
- limits, 129
- maps, 321
- predicted lines, 226
- predicted values, 226
- regression diagnostics, 123
- rotating text, 246
- symbols, 242
- time series data, 333
- titles, 246
- Plummer, Martyn, 357
- PNG export, 259
- point size specification, 252
- point-and-click interface, 356
- points, 243
  - locating, 249
- Poisson distribution, 86
- Poisson family, 150
- Poisson regression, 149, 153, 176
  - Bayesian, 294
  - zero-inflated, 154, 178
- polygons, 247
- polynomial contrasts, 116
- polynomial regression, 155
- posterior probability, 290, 294
- posting guide (R-help), 377
- postscript, 252, 256
- power calculations
  - analytic, 95
  - empirical, 284
- practical extraction and report language (Perl), 13, 29
- predicted values
  - generating from linear model, 120
- presentations in RStudio, 290
- primary care
  - linkage, 381
  - visits, 382
- primary substance of abuse, 383
- printing model results, 11
- prior distribution, 290, 294
- probability density, 54, 214
- probability distributions, 68
- parameter estimation, 86
- quantiles, 53
- random variables, 53
- simulation, 261, 276
- task view, 53, 373
- probability integral transform, 58
- probit link function, 150
- probit regression, 149
- profiling of execution, 76
- programming, 71
- projection, 325
- projects, 357
- propensity scores, 296
- proportion, 86
- proportional hazards model, 163, 200
  - frailty, 163
  - proportionality test, 164
  - simulate data, 269
  - time-varying covariate, 165
- proportional odds model, 152, 182
- proportionality test, 164
- Pruim, Randall, 216, 224
- pseudo  $R^2$ , 151
- pseudo-likelihood, 265
- pseudo-random number
  - generation, 53
  - set seed, 55
- pss\_fr** variable, 238, 382
- psychometrics, 166, 201
  - task view, 166, 373
- QQ plot, 136, 225
- quadratic growth curve models, 159
- quantile regression, 156, 181
- quantile-quantile plot, 136, 225
- quantiles, 85
  - probability density function, 54
  - t distribution, 78
- quarter variable, 38
- quasi-complete separation, 294
- quitting R, 361
- quotes, nested, 18
- R
  - available datasets, 377
  - bug reports, 377
  - command history, 359
  - data structures, 365
  - detach packages, 185
  - Development Core Team, 357
  - differences from SAS, xxiv

- exiting, 360
- export SAS dataset, 13
- FAQ, 364, 377
- Foundation for Statistical Computing, 357
- graphical user interface, 359
- help system, 361, 362
- history, 357
- installation, 358
- introduction, 357
- libraries, 371
- Linux installation, 358
- Markdown, 14, 290
- objects, 365
- packages, 371, 373
- Project, 377
- R Commander, 359
- R-help mailing list, 377
- reading SAS files, 6
- resources for new users, 362
- sample session, 360
- starting, 360
- support, 377
- task views, 372
- warranty, 361
- Windows installation, 358
- R index, xxiv
- $R^2$ 
  - linear regression, 127
  - logistic regression, 151
- R-help mailing list, 377
- ragged data, 321
- rail trails, 325
- random coefficient model, 158, 159
- random effects model, 158, 193
  - estimate, 158
  - generating, 264
- random intercept model, 158
- random number
  - seed, 55, 319
- random slopes model, 158
- random variables
  - density, 54
  - generate, 54
  - generation, 53
  - probability, 54
  - quantiles, 54
- randomization group, 383
- randomized clinical trial, 379
- range
  - axes, 253
- rank sum test, 94
- reading
  - bytes, 8
  - comma separated value (CSV) files, 4
  - data, 39, 350
  - data with two lines per obs, 331
  - dates, 3
  - fixed format files, 2
  - HTTP from URL, 9
  - long lines, 3
  - more complex fixed format files, 3
  - native format files, 1
  - other files, 3
  - other packages, 6
  - R into SAS, 5
  - R objects, 1
  - SAS into R, 6
  - spreadsheets, 5
  - variable format files, 7, 321
  - XML files, 9
- receiver operating characteristic curve, 225, 235
- recoding missing values, 306
- recoding variables, 20, 21
- recover from error, 76
- rectangular grid, 248
- recursive partitioning, 166, 205
- reference category, 114, 115, 143, 172, 296
- regression, 113
  - categorical predictor, 114
  - coefficients, 124
  - diagnostic plots, 123
  - diagnostics, 135
  - forward stagewise, 171
  - Gamma, 149
  - interaction, 117, 130
  - least angle, 171
  - logistic, 149
  - lognormal, 149
  - no intercept, 116
  - overdispersed binomial, 149
  - overdispersed Poisson, 149
  - parameterization, 115, 296
  - Poisson, 149
  - probit, 149
  - residuals, 121
  - standardized coefficients, 124
  - standardized residuals, 121
  - stratified analysis, 283

- studentized residuals, 121
- test for heteroscedasticity, 124
- regular expressions, 25, 31
- rejection sampling, 271
- relative risk, 87
- reliability measures, 166, 201
- remove
  - dataframe from workspace, 368
  - objects, 365
  - package from workspace, 368
  - spaces from a string, 27
- rename variables, 19
- repeat statement, 72, 362
- replace a string within a string, 26
- replicating examples from the book, 361
- report generation, 14, 106, 287
- reproducible analysis, 14, 106, 357
  - knitr, 287
  - rich text format, 257
  - Statweave, 287
  - tangle, 287
  - task view, 287, 288, 373
  - weave, 287
- resampling-based inference, 303
- reserved commands, 362
- reshaping datasets, 33, 187
- residuals, 121
  - analysis, 135
  - correlated, 158
  - plots, 136
  - standardized, 121
  - studentized, 121
- results from HELP study, 379
- rich text format (rtf), 257
- ridge regression, 156
- right censored data, 227
- Ripley, Brian, 357
- Risk Assessment Battery, 381
- robust statistical methods
  - empirical variance, 161, 197
  - regression, 156
  - task view, 156, 373
- ROC curve, 225, 235
- Rosenthal, Jeffrey, 271
- rotating
  - axis labels, 254
  - text, 246
- round results, 40, 60
- RR (relative risk), 87
- RSeek, 362
- RStudio, xxii, 357
- exporting graphs, 256
- installation, 359
- presentations, 290
- reproducible analysis, 290
- RTF (rich text format), 257, 351, 355
- Rubin, Donald, 306
- rug plot, 245
- running a script, 362
- running average, 318
- Samet, Jeffrey, 379
- sample size calculations
  - analytic, 95
- sampling
  - challenging distribution, 271
  - dataset, 31
- sampling distribution, 274
- sandwich variance, 161, 197
- Sarkar, Deepayan, 211, 230, 313, 357
- SAS
  - Base, 341
  - basic concepts, 347
  - differences from R, xxiv
  - files from R, 6
  - GUI, 341
  - Institute, 341
  - license file, 341
  - macros, 303
  - on-line help, 346
  - OnDemand, 341
- SAS index, xxiv
- SAS/ETS, 341
- SAS/GRAPH, 341
- SAS/IML, 341
- SAS/STAT, 341
- saving
  - data, 42
  - graphs, 256
  - parameter estimates as dataset, 175
  - printed result as SAS dataset, 132
  - R history, 359
  - SAS history, 345
- scale
  - log, 255
- scaling, 85
- scatterplot, 102, 129, 217
  - binned, 219
  - lines, 244
  - marginal histograms, 220, 232
  - matrix, 221
  - multiple y values, 218

- points, 243
- separate plotting characters per group, 242
- smoother, 129, 244
- Schoenfeld residuals, 164
- Schoenfeld, David, xxv
- Scott, Alastair, xxv
- scraping data, 330
- script file, 361, 362
- search for approximate string, 25
- seed, random number, 55, 275
- sensitivity, 87, 225
- sensitivity to case, xxiv
- separate model fitting by group, 138
- separate plotting characters per group, 242
- server version, 357
- set operations, 24
- setinit file, 341
- settings, graphical, 253
- sexrisk** variable, 172, 183, 383
- SF-36 short form health survey, 382
- shapes, 247
- short form (SF) health survey, 382
- shrinkage method, lasso, 170
- side-by-side boxplots, 193, 215
- sideways orientation
  - boxplot, 214
- significance stars in R, 113, 132
- simulate
  - categorical data, 261
  - Cox model, 269
  - generalized linear model random effects, 264
  - logistic regression, 263
  - power calculations, 284
- simulation studies, 263
- sine function, 60
- singular value decomposition, 68
- size of graph, 250
- skewness, 84
- slides in RStudio, 290
- Smith College, xxv, 276
- smoothing spline, 129, 155, 185, 213, 220, 244
- social sciences
  - task view, 113, 128, 149, 172, 373
- social supports, 382
- SOCR (Statistics Online Computational Resource), 359
- solve optimization problems, 62
- sorting, 35, 51
- sourcing commands, 361
- sparse matrices, 63
- spatial statistics
  - choropleth, 327
  - task view, 172, 325, 373
- spatio-temporal data
  - task view, 373
- Spearman correlation, 89
- specificity, 87, 225
- specifying
  - box around plots, 252
  - color, 255
  - design matrix, 115, 296
  - margin, 253
  - point size, 252
  - text size, 252
- splines, 374
- split string, 26
- spreadsheet, 5, 10
- SPSS files, 6, 13
- SQL, 29, 336
- square root, 59
  - link function, 150
- stagewise regression, 171
- standard deviation, 59, 83
- standard error, 76
- standardized regression coefficients, 124
- standardized residuals, 121
  - mixed model, 158
- Stata files, 6, 13, 327
- statements, SAS, 349
- statistical genetics task view, 373
- statistical learning task view, 373
- Statistics Online Computational Resource (SOCR), 359
- StatWeave, 287
- stem plot, 212
- straight line
  - adding, 242
- stratified analysis, 138, 283
- string variable
  - concatenating strings, 24
  - extract characters, 23
  - find a string, 25
  - find approximate string, 25
  - from numeric variable, 20
  - length, 23
  - remove spaces, 27
  - replace a string, 26
- structural equation modeling

- latent class analysis, 167
- structured query language (SQL), 29, 336
- Student’s *t* test, 93, 274
- studentized residuals, 121
- styles
  - axes, 253
  - line, 254
- sub** variable, 129, 139
- subject index, xxiv
- submatrix, 66
- submitting code, 343
- subsetting, 30, 47, 51, 350
- substance abuse treatment, 382
- substance of abuse, 383
- substance** variable, 102, 383
- sum, 59
- summary statistics, 97
  - mean, 83
  - separately by group, 52, 281
- sums of squares
  - cross products, 127
  - Type III, 130, 169
- support, 377
- survey methodology, 168
  - task view, 169, 373
- survival analysis, 163
  - accelerated failure time model, 163
  - Cox model, 200
  - frailty, 163
  - Kaplan–Meier plot, 227, 234
  - logrank test, 95, 111
  - proportional hazards model, 163
  - simulate data, 269
  - task view, 163, 228, 373
- suspend execution for a time interval, 79
- Sweave, 14, 287
- sweep operator, 85
- symbols
  - mathematical, 247
  - plot, 242
- syntax highlighting, 357
- Systat files, 6
- t** distribution, 68, 86
  - quantile, 78
- t* test, 93, 107, 274
- table, cross-classification, 90
- tabulate binomial probabilities, 317
- tangent function, 60
- tangle, 287, 290
- task view, 372
  - analysis of spatial data, 172
  - Bayesian inference, 290, 294
  - clustering, 166, 168
  - finite mixture models, 313
  - graphics, 211
  - machine learning, 167
  - multivariate statistics, 166
  - official statistics, 169
  - optimization and mathematical programming, 62
  - probability distributions, 53
  - psychometrics, 166
  - reproducible analysis, 287, 288
  - robust statistical methods, 156
  - social sciences, 113, 128, 149, 172
  - spatial statistics, 325
  - survival analysis, 163, 228
  - time series, 162
- Temple Lang, Duncan, xxv, 357
- temporal data
  - task view, 373
- test
  - characteristics, 87
  - heteroscedasticity, 124
  - interaction, 141
  - joint null hypotheses, 118, 119
  - normality, 92
- text
  - adding, 246
  - files, 12
  - rotating, 246
  - size specification, 252
- Tibshirani, Rob, 170
- tick marks, 254
- Tierney, Luke, 357
- TIFF export, 259
- time
  - elapsed, 39
  - variables, 39
- time series, 162
  - plotting, 333
  - task view, 162, 373
- time** variable, 188
- time-to-event analysis, 163
- time-varying covariate, 165
- Times font, 252
- timing commands, 78
- titles, 246
- tolerance, 61
- topic index, xxiv

- tracing memory usage, 76
- transformed residuals, 158
- translations, character, 27
- transparent plot symbols, 219
- transposing
  - long (tall) to wide format, 34
  - matrix, 64
  - wide to long (tall) format, 33
- trap error, 76
- treat** variable, 111, 383
- treatment contrasts, 116
- trigonometric functions, 60
- trimmed mean, 84
- true positive, 225
- truncated normal random variables, 58
- truncation, 60
- Tufte, Edward, 216, 230
- Tukey, John, 230
  - honest significant differences, 119, 144
  - mean-difference plot, 228
  - notched boxplot, 216
- two line data input, 331
- two sample *t* test, 93, 107
- two-way ANOVA, 117, 139
  - interaction plot, 223
- two-way tables, 103
- Tyler, Kristin, xxv
- Type III sums of squares, 130, 169
- UCLA, 359
- uniform random variables, 55
- union, 24
- unique values, 32
- univariate distribution parameter
  - estimation, 86
- univariate loess, 155
- universal resource locator (URL), 9
- University of Auckland, 357
  - Department of Statistics, xxv
- unnamed function, 284
- unstructured covariance matrix, 190
- unstructured working correlation, 161
- upper to lower case conversions, 27
- Urbanek, Simon, 357
- URL, 9
  - harvesting data, 330
- user-defined functions, 77
- using the book, xxiv
- values of variables, 18
- van Buuren, Stef, 306
- Vanderbilt University, 216
- variable display, 18
- variable format files, 7, 321
- variable labels, 18
- variables
  - add, 19
  - rename, 19
- variance, 83, 276
- variance covariance matrix, 158
- variance equality test, 93
- varimax rotation, 166, 202
- vectors
  - efficiency, 72
  - extract elements, 367
  - from a matrix, 67
  - indexing, 365
  - recycling, 365
- version number, 372
- Verzani, John, 39
- violin plots, 215
- visualize correlation matrix, 238
- Vos Savant, Marilyn, 278
- warranty for R, 361
- weave, 287, 290
- web technologies, 9, 15
  - task view, 373
- website for book, xxv
- weekday variable, 38
- Weibull distribution, 86, 269
- weighted least squares, 156
- where to begin, xxiv
- while statement, 72, 362
- White variance, 197
- Wickham, Hadley, 29, 211, 230, 281, 284, 325
- wide to long (tall) format conversion, 33
- width of line, 255
- Wilcoxon test, 94, 108
- Wild, Chris, xxv
- wildcard expansion, 81
- Wilkinson dot plot, 212
- WinBUGS, 291
- Windows
  - installation of R, 358
  - metafile, 258
  - R FAQ, 358
- Word rtf format, 257
- workflow, 287
- working correlation matrix, 161, 197

418

- working directory, 80
- workspace, 369
- workspace browser, 357
- writing
  - CSV (comma separated value) files, 12
  - native format files, 12
  - other packages, 13
  - text files, 12
- $X'X$  matrix, 127
- x-y plot, *see* scatterplot
- Xie, Yihui, 288
- XML, 9, 13
  - create file, 13
  - DocBook DTD, 14
  - read file, 6
  - write files, 14
- year variable, 38
- Zaslavsky, Alan, xxv
- zero-inflated
  - negative binomial regression, 154
  - Poisson regression, 154, 178