SECTION H DRUG/ALCOHOL USE - ASI

This next sec	ction will focus on questions about	your alcohol and/or drug	use.		
Directions:	How many days in the past 30 have you used? How do you use it?				
	Route of Administration Types:				
	•				
	0. Not applicable				
	I. Oral				
	2. Nasal				
	3. Smoking 4. Non-IV Injection				
	5. IV				
Note the usual	or most recent route. For more than one	route, choose the most severe.	The routes are listed from		
least severe to	most severe.				
		(# of days) Past 30 Days	Route of Admin		
*U1 Alasha	ol (any use at all)				
TII. AICOIC	of (any use at an)				
*H2. Alcoho	ol (to intoxication) nore &/or 'feel the effects')		<u></u>		
(regula	r use can = 2 day binges/week)				
*H3. Heroin					
		•			
*H4. Methad	lone				
11111111111					
*H5. Other (Opiates/Analgesics				
•					
*H6. Barbitu	rates				
+**** C 1 :*	MT				
*H/. Sedativ	ves/Hypnotics/Tranquilizers		•		
*H8. Cocain	e				

(regular use can = 2 day binges/week)

Directions:	How many days in-the past 50 have you used				
	How do you use it?				
	Route of Administration Types:				
	0. Not applicable				
	1. Oral				
	2. Nasal				
	3. Smoking	•			
	4. Non-IV Injection				
	5. IV				
	or most recent route. For more than one re	oute choose the most severe.	The routes are listed from		
Note the usual	or most recent route. For more than one re	Juie, choose the most bever c.			
least severe to	most severe.				
		(# of days)	Route of		
		Past 30 Days	Admin		
		1 23: 55 2 4,5			
+***O 4 1	. 4 3 0				
*H9. Ampl	netamines				
*H10. Marij	uana/Cannabis				
•					
*H11. Hallu	cinagens				
IIII. Hanu	стодоль				
	•	_			
*H12. Inhala	ents				

*H13. More than 1 substance per day (may include alcohol)

H15. H	H15. How many times in the last 6 months/since we last met have you had:					
•	·	H15a. Alcohol DT's?				
		H15b. Overdosed	d on Drugs?	time		
ai	Delirium Tremens (DT's): occur 24-48 hours after la elcohol intake, shaking, severe disorientation, fever, hu nedical attention.)	est drink, or significant allucinations: They usu	decrease in ually require			
	Overdoses (OD): Requires intervention by someone nclude suicide attempts by OD.)	to recover, not simply s	sleeping it off.			
*H16.	How much money would you say you spent	during the past 30	days on:			
		H16a. Alcohol?	\$			
		H16b. Drugs?	\$			
(0	Only count actual money spent. What is the financi	ıl burden caused by dri	ugs/alcohol?)			
*H17.	How many days in the past 30 have you exp	erienced:				
			roblems?	_ (0-30)		
		H17b. Drug Prob	lems?	(0-30)		
	Include only: craving, withdrawal symptoms, disturb o stop and being unable to.)	ning effects of use, or we	anting			
	stions H18 and H19, ask the patient to use the Patien al substance abuse treatment.	nt Rating Scale. The pa	atient is rating the nee	d for		
	(Show Card 33)					
	0. Not at All					
	1. Slightly			•		
	2. Moderately 3. Considerably					
	4. Extremely		•			
*H18. I	How troubled or bothered have you been in t	the past 30 days by	these:			
	·	H18a. Alcohol Pro		_ (0-4)		
		H18b. Drug Probl	lems?	_ (0-4)		
*H19. F	How important to you now is treatment for t	hese:				
		H19a. Alcohol Pro	oblems?	_ (0-4)		
		H19b. Drug Probl		(0-4)		
		U		 · ·		