

# Indices

Separate indices are provided for subject (concept or task), SAS command, and R command. References to the examples are denoted in *italics*.

# SAS index

- \*\* operator, 59
- operator, 74, 188, 190
- operator, 40, 46, 74, 202
- ., 304, 305
- // operator
  - proc iml, 63
- [ ] operator, 66
- \$ informat, 20
- %include statement, 303
- %put statement, 76
- \_n\_ (implied variable), 32
- ` operator, 64
  
- abs(x), 59
- across option
  - legend statement, 248
- adjust option
  - proc glm, 119
- agree option
  - proc freq, 89
  - tables statement, 92
- AIC, 144
- alpha option
  - proc corr, 202
- Analyst application, 356
- annomac macro, 241
- annotate dataset, 241, 324
- annotate macros, 241–243, 246, 247
- append (proc iml statement), 63
- arcsin(x), 60
- areas option
  - proc gplot, 110
- arima procedure, *see* proc arima
- arithmetic functions, 304
- array statement
  - data step, 46, 74, 188, 317
- arrow macro, 247
- arsin(x), 60
- atan(x), 60
- atan2(x), 60
- autohref, 248
- autovref, 248
  
- axis statement, 129, 139, 253, 254
  - color option, 255
  - height option, 252
  - label option, 69, 137, 254, 256
  - logbase option, 255
  - logstyle option, 255
  - major option, 254, 256
  - minor option, 69, 254, 256
  - order option, 69, 253
  - style option, 256
  - value option, 254, 256
  
- batch mode, 356
- bayes statement
  - proc genmod, 290, 292, 293, 295
- beta(x,y), 60
- binomial option
  - proc freq, 86, 286
- bivar statement
  - proc kde, 216
- boot macro, 303
- bottommargin option
  - options statement, 253
- boxplot procedure, *see* proc boxplot
- by statement, 36, 44, 52, 189, 281, 283, 285, 322
  - descending option, 35, 88, 136
  
- call streaminit(seed), 55, 319
- call symput('macrovarname',value), 110, 355
- call system, 79
- cards statement
  - data step, 10
- case sensitivity, 54, 356
- catmod procedure, *see* proc catmod
- cdf('DIST', params), 53, 54, 171
- cdfplot statement
  - proc univariate, 214
- ceil(x), 60
- character informat, 20

- chisq option
  - proc freq, 91, 103
- choro statement
  - proc gmap, 324, 328
- circle macro, 243
- class statement
  - proc anova, 117
  - proc discrim, 167, 207
  - proc genmod, 151, 295
  - proc glm, 114, 117
  - proc logistic, 173
- class statement, all procedures, 115
- clb option
  - proc reg, 125
- cmh option
  - proc freq, 91
- color option
  - axis statement, 255
  - symbol statement, 69, 255
- comb(n,r), 60
- command file, 349
- compare(string1, string2), 25
- compged(string1, string2), 25
- complex(string1, string2), 25
- compress(charvar1,...,charvark), 331
- constant('PI'), 60, 68
- contents procedure, *see* proc contents
- contour procedure, *see* proc contour
- corr (data type), 56
- corr procedure, *see* proc corr
- corrb option
  - proc reg, 128
- cos(x), 60
- count(charvar,'pattern'), 25, 330
- countreg procedure, *see* proc countreg
- cov (data type), 56
- covb option
  - proc reg, 127, 128
- covout option
  - proc reg, 127, 128
- create (proc iml statement), 63
- data \_null\_, 110, 355
- data set options, 51, 190, 303
- data step, 1, 2, 4, 6, 12, 19, 32, 36, 347
  - \_n\_, 32
  - array statement, 46, 74, 188
  - cards statement, 10
  - debug option, 76
  - drop statement, 33
  - infile statement, 2–4, 81, 321, 322
  - lrecl option, 3
  - missover option, 3
  - truncover option, 81
- input statement, 2–4, 20, 321, 322
- keep statement, 40
- merge statement, 36, 196, 324
- output statement, 73, 285, 305
  - multiple per input, 33, 322
- rename statement, 33
- retain statement, 22, 88, 322
- set multiple, 35
- set statement, 1, 6, 12, 43, 172
- dataset options, 349
- datetime(), 39
- dbms option
  - proc import, 326, 328, 333
- dbms=dta
  - proc import, 328
- debug option
  - data step, 76
- degree option
  - proc sgplot, 244
- density statement
  - proc sgplot, 245
- descending option
  - by statement, 35, 88, 136
  - proc logistic, 151, 173, 183, 235
- det (proc iml function), 67
- device option
  - goptions statement, 256, 258, 259
- diag (proc iml function), 66
- diagonal option
  - proc sgscatter, 221
- dim(arrayname), 46, 74
- dimension(A) (proc iml function), 64
- directory structure, 2
- dist macro, 300
- dist option
  - proc genmod, 149, 150, 152–154, 177, 179, 180, 197
  - proc glimmix, 161, 199
- do, 72, 75, 261, 263
  - i=a to b, 46, 71, 188, 264, 268, 285
  - i=a to b by c, 73, 224
  - until, 26, 58, 71
  - while, 71
- dot statement
  - proc sgplot, 212
- drop (data set option), 190, 303
- drop (dataset option), 30, 34
- drop statement, 30

- data step, 33
- Editor window, 341
- eigval(A) (proc iml function), 67
- eigvec(A) (proc iml function), 67
- else if statement, 21
- else statement, 21
- engines, 6, 9, 13
- eq operator, 20, 47
- errorbar option
  - proc gchart, 216
- estimate statement
  - proc glm, 120, 147
- event option
  - proc logistic, 298
- events/trials syntax
  - proc logistic, 149, 293
- exact option
  - proc freq, 103, 285
- exact statement
  - proc freq, 92
  - proc logistic, 151, 152
  - proc npar1way, 94
- exp(x), 59, 68, 264
- Explorer Tab, 341
- export files, 13
- export procedure, *see* proc export
- fact(x), 60
- fcs statement
  - proc mi, 307
- file types, 9, 81
- filename statement, 9, 97, 256, 258, 259
  - lrecl option, 3, 97
- find(charvar, 'pattern'), 25, 26
- firstobs (data set option), 47
- fisher option
  - proc freq, 92
- floor(x), 60
- font option, 252
- footnote statement, 11, 246
- format statement, 11, 14, 133, 322, 332
- formats, 3, 4, 11, 332, 350
- frailty statement
  - proc phreg, 163
- frame option, 252
  - legend statement, 69, 248
- fullstimer option
  - options statement, 78
- fuzz(x), 61
- g3d procedure, *see* proc g3d
- gam procedure, *see* proc gam
- gamma(x), 60, 68
- ge operator, 20
- genmod procedure, *see* proc genmod
- getnames statement
  - proc import, 2, 4, 40
- getting started with SAS, 346
- glimmix procedure, *see* proc glimmix
- glm procedure, *see* proc glm
- global macro variables, 64
- gmap procedure, *see* proc gmap
- goptions statement, 250
  - device option, 256, 258, 259
  - gsfname option, 256, 258, 259
  - hsize option, 250
  - htext option, 252
  - reset option, 136, 253
  - vsize option, 250
- gplot procedure, *see* proc gplot
- gproject procedure, *see* proc gproject
- gt operator, 20, 47
- GUI only commands
  - Import Data, 2, 4
  - Viewtable, 10, 19
- haxis option
  - proc gplot, 230
  - proc univariate, 137
- hbar statement
  - proc gchart, 211
  - proc sgplot, 211
- hbar3d statement
  - proc gchart, 211
- hbox statement
  - proc sgplot, 214, 215
- height option
  - axis statement, 252
  - symbol statement, 129, 242
  - title statement, 252
- histogram statement
  - proc univariate, 101, 137, 208, 213, 220, 245
- hsize option
  - goptions statement, 250
- htext option
  - goptions statement, 252
- html option
  - proc gplot, 249
- html output, *see* ods
- if (subsetting), 30, 31, 129, 203, 305, 350

- if ... then, 47, 72, 305
- if ... then ... else, 21, 50, 72
- if ... then do, 72
- iml procedure, *see* proc iml
- import procedure, *see* proc import
- in operator, 21, 24
- in option
  - data step, 319
- infile statement, 3, 7, 8
  - data step, 2–4, 81, 321, 322
  - lrecl option, 3
  - missover option, 3
  - truncover option, 81
- informats, 20, 332, 350
- input statement, 3, 7, 8, 331
  - data step, 2–4, 20, 321, 322
- input(data, informat), 22, 37
- Insight application, 356
- interpolation option
  - symbol statement, 69, 129, 226, 227, 244
- inv (proc iml function), 65
  
- keep (dataset option), 30, 350
- keep statement, 30
  - data step, 40
- kendall option
  - proc corr, 89
- kernel option
  - proc univariate, 137, 213, 220
  
- Lab application, 356
- label (data set option), 43
- label (dataset option), 19
- label macro, 246
- label option
  - axis statement, 69, 137
  - legend statement, 69, 248
- label statement, 18
- lackfit option
  - proc logistic, 171
- lag(x), 28, 321
- le operator, 20
- learning SAS, 346
- left(charvar), 27
- leftmargin option
  - options statement, 253
- legend statement, 129, 248
  - across option, 248
  - frame option, 69, 248
  - label option, 69, 248
  - mode option, 129, 248
  - position option, 69, 129, 248
  - shape option, 129
  - value option, 69, 248
- length(charvar), 23
- lengthc(charvar), 23
- libname statement, 1, 6, 9, 12, 13, 43
- libref, 12
- lifetest procedure, *see* proc lifetest
- line macro, 242
- line option
  - symbol statement, 69, 254
- lines option
  - proc glm, 119, 144
- link option
  - proc genmod, 149, 150, 152
  - proc glimmix, 161
  - proc logistic, 152, 183
- listing option
  - ods trace statement, 351
- loess procedure, *see* proc loess
- loess statement
  - proc sgpanel, 244
  - proc sgplot, 244
- log file, 80, 349
- Log Window, 341
- log(x), 59
- log10(x), 59
- log2(x), 59
- logbase option
  - axis statement, 255
- logical expressions, 20, 21, 50
- logical operators, 20, 47, 72
- logistic procedure, *see* proc logistic
- logstyle option
  - axis statement, 255
- lowcase(charvar), 27, 328
- lrecl option
  - data step, 3
  - filename statement, 3, 97
- ls option
  - options statement, 349
- lsmeans statement
  - proc glm, 119, 144
- lt operator, 20
  
- macro variables, 110, 355
  - global, 64
- macros, 77, 224, 241, 303
- manova, 162
- matrix statement

- proc sgscatter, 221, 236, 239
- max(x1,...,xk), 59
- mdy(mvar,dvar,yvar), 37
- mean(x1,...,xk), 46, 59, 74
- means procedure, *see* proc means
- merge statement
  - data step, 36, 196, 324
- method option
  - proc glimmix, 199, 266
- min(x1,...,xk), 59
- minor option
  - axis statement, 69
- missing data, 304
- missover option
  - data step, 3
- missprint option
  - proc freq, 90
- mixed procedure, *see* proc mixed
- mmddy informat, 37
- mod(x1, x2), 59, 277
- mode option
  - legend statement, 129, 248
- model statement, 117
  - proc genmod, 116, 149, 150, 152–154, 177, 179, 180, 197
  - proc glimmix, 116, 161, 199
  - proc glm, 113, 114, 116, 117, 127
  - proc logistic, 149, 152, 171, 183
  - proc mixed, 116, 158, 195, 285
  - proc reg, 113, 116, 125, 127
- month(x), 38
- mprint option
  - options statement, 76
- n(x1,...,xk), 203, 305
- ne operator, 20, 47
- nelson
  - proc lifetest, 164
- nlin procedure, *see* proc nlin
- nlmixed procedure, *see* proc nlmixed
- nloptions statement
  - proc glimmix, 266
- nlpcg (proc iml function), 62
- nmiss(x1,...,xk), 46, 47, 305
- nobs macro, 300
- nocenter option
  - options statement, 349
- nocol option
  - proc freq, 188
- nodupkey option
  - proc sort, 32
- noframe option, 252
- noint option
  - proc genmod, 116
  - proc glimmix, 116
  - proc glm, 116
  - proc mixed, 116
  - proc reg, 116
- nopercent option
  - proc freq, 188
- normal option
  - proc univariate, 92, 137
- normal(seed), 56, 264, 285
- norow option
  - proc freq, 188
- nouniquekey option
  - proc sort, 32
- npar1way procedure, *see* proc npar1way
- nrstr macro, 334
- nway option
  - proc means, 87
- obs (data set option), 47, 51
- obs (dataset option), 18, 350
- ods, 40, 351
  - docbook statement, 15
  - exclude statement, 351
  - html statement, 14
  - output destinations, 14, 15, 256, 257, 355
  - output statement, 125, 127, 132, 138, 176, 285, 307, 309, 354
  - pdf statement, 256, 324
  - ps statement, 256
  - rtf statement, 257
  - select statement, 40, 41, 101, 102, 306, 351
- ods graphics statement, 250
- ods trace statement, 351
  - listing option, 351
- of operator, 46, 74
- on-line help, 346
- OnDemand for Academics, 341
- options statement, 349
  - bottommargin option, 253
  - fullstimer option, 78
  - leftmargin option, 253
  - ls option, 349
  - mprint option, 76
  - nocenter option, 349
  - ps option, 349
  - rightmargin option, 253

- stimer option, 78
  - symbolgen option, 76
  - topmargin option, 253
- order option
  - axis statement, 69, 253
  - proc glm, 114, 296, 297, 299
- out option
  - proc freq, 87
- outest option
  - proc reg, 124, 125, 127
- outp option
  - proc mixed, 158, 195
- outpm option
  - proc mixed, 158, 195
- output statement
  - data step, 33, 73, 285, 305, 322
  - ods, 125, 127
  - proc glm, 120–123, 125, 126, 131
  - proc logistic, 298
  - proc means, 85–87
  - proc reg, 120–123, 125, 126
  - proc univariate, 100
- Output Window, 341
- outseb option
  - proc reg, 125
- outsscp option
  - proc reg, 127
- outsurv option
  - proc lifetest, 227
- overlay option
  - proc gplot, 273
- pagan option
  - proc model, 124
- panelby statement
  - proc sgpanel, 193, 221, 232, 250
- param option
  - proc genmod, 114, 295
- pattern statement, 110, 223, 324
- pbspline statement
  - proc sgpanel, 232, 244
  - proc sgplot, 244
- pdf output, *see* ods
- pdiff option
  - proc glm, 119
- perm(n,r), 60
- phreg procedure, *see* proc phreg
- pi, 60
- pipe (file type), 81
- plot option
  - proc univariate, 212, 225
- plot statement
  - proc gplot, 230, 249
- plots option
  - proc logistic, 225
- pointlabel option
  - symbol statement, 249
- position option
  - legend statement, 69, 129, 248
- predicted option
  - proc glm, 120
  - proc reg, 120
- proc anova, 117
  - class statement, 117
- proc arima, 162
- proc boxplot, 140, 214, 215
  - symbol statement, 140
- proc catmod, 153
- proc contents, 17, 19, 40, 41
- proc contour, 222
- proc corr, 89, 101, 102, 268
  - alpha option, 202
  - kendall option, 89
  - spearman option, 89
  - with statement, 89, 102
- proc countreg, 154
- proc discrim, 167, 207
  - class statement, 167, 207
- proc export, 6, 12, 13, 43
- proc factor, 166, 203
- proc fcmp, 77
- proc fimm, 167, 312
- proc format, 14, 28
- proc freq, 48–50, 90, 261
  - chisq option, 91
  - exact statement, 92
    - fisher option, 92
  - missprint option, 90
- tables statement, 92, 188
  - agree option, 89, 92
  - binomial option, 86, 286
  - chisq option, 91, 103
  - cmh option, 91
  - exact option, 92, 103
  - nocol option, 188
  - nopercent option, 188
  - norow option, 188
  - out option, 87
  - relrisk option, 87, 103
- proc g3d, 222
- proc gam, 155, 186
- proc gchart

- errorbar option, 216
- hbar statement, 211
- hbar3d statement, 211
- type option, 216
- vbar statement, 211
- vbar3d statement, 211
- proc gcontour, 222
- proc gdevice, 258
- proc genmod, 149, 150, 153, 171, 177, 179, 180, 197
  - bayes statement, 290, 292, 293, 295
  - class statement, 151
    - param option, 114, 295
    - ref option, 114, 295
  - link option, 152
  - model statement, 150
    - dist option, 149, 150, 152–154, 177, 179, 180
    - dist=binomial, 197
    - link option, 149, 150
    - scale option, 150
  - repeated statement, 161, 197
- proc glimmix, 161, 199, 266
  - method option, 199, 266
  - model statement
    - dist option, 161, 199
    - link option, 161
  - nloptions statement, 266
  - random statement, 160, 161, 199
- proc glm, 113, 117, 138
  - class statement, 114, 117
  - estimate statement, 120, 147
  - hovtest, 93
  - lines option, 119
  - lsmeans statement, 119
    - adjust option, 119
    - lines option, 144
    - pdiff option, 119
  - manova, 162
  - model statement, 113, 114
    - noint option, 116
    - solution option, 117
    - syntax, 117
    - xpx option, 127
  - order option, 114, 296, 297, 299
  - output statement, 120–123, 125, 126, 131
    - cookd, 122
    - dffits, 123
    - h, 122
    - lcl, 126
    - lclm, 125
    - predicted, 120
    - residual, 121
    - rstudent, 121
    - student, 121
    - ucl, 126
    - uclm, 125
- proc glmselect, 171
- proc gmap
  - choro, 223
  - choro statement, 324, 328
- proc gplot, 69, 110, 123, 129, 217, 218, 226–228, 244
  - a\*b=c syntax, 103, 110, 242
  - autohref, 248
  - autovref, 248
  - overlay option, 273
  - plot statement
    - haxis option, 230
    - html option, 249
    - vaxis option, 230
  - plot2 statement, 230
- proc gproject, 328
- proc greplay, 250
- proc iml, 62, 63
  - \*, 65
  - +, 64
  - // operator, 63
  - [ ] operator, 66
  - #, 66
  - ` operator, 64
  - append statement, 63
  - call svd, 68
  - create statement, 63
  - diag(A), 66
  - eigval(A), 67
  - eigvec(A), 67
  - inv(A), 65
  - nlpcg, 62
  - quit, 63
  - read statement, 63
  - shape, 67
  - t(A), 64
  - use statement, 63
  - vecdiag(A), 67
- proc import, 2, 4–6, 9, 40, 97, 129, 230, 294, 306, 334
  - dbms option, 2, 326, 328, 333
  - dbms=dta, 328
  - getnames statement, 2, 4, 40
- proc kde, 110, 213, 220, 273



- bivar statement, 216
- proc lifetest, 95, 112, 228, 235
  - nelson, 164
  - outsurv option, 227
  - strata statement, 95, 112
    - test option, 95
- proc loess, 244
- proc logistic, 149, 173–175, 183, 235, 307, 309
  - class statement, 173
  - descending option, 151, 173, 183, 235
  - event, 263
  - event option, 298
  - exact statement, 151, 152
  - model statement
    - events/trials syntax, 149
    - lackfit option, 171
    - link option, 152, 183
  - ordinal logit, 183
  - output statement, 298
  - plots option, 225
  - strata statement, 151
- proc mcmc, 290
- proc means, 45, 51, 83, 85, 86, 139, 275, 279
  - keywords, 86, 98
  - nway option, 87
  - output statement, 85–87
- proc mi, 306
  - fcs statement, 307
- proc mianalyze, 308
- proc mixed, 144, 157, 158, 170, 190, 194, 195
  - model statement
    - outp option, 158, 195
    - outpm option, 158, 195
    - solution option, 158, 285
  - random statement, 158–160, 194, 195
  - repeated statement, 157, 190
- proc model, 124
  - pagan option, 124
  - white option, 124
- proc nlin, 155
- proc nlmixed, 161, 265
- proc npar1way, 94, 108, 109
  - exact statement, 94
- proc phreg, 95, 163, 165, 200
  - assess, 164
  - frailty statement, 163
  - ressch, 164
- proc power, 95
- proc print, 11, 18, 42–44
- proc quantreg, 156, 182
- proc reg, 113
  - clb option, 125
  - corrb option, 128
  - covb option, 128
  - covout option, 127, 128
  - model statement, 113
    - corrb option, 128
    - covb option, 127, 128
    - outseb option, 125
    - xpx option, 127
  - outest option, 124, 125, 127
  - output statement, 120–123, 125, 126
    - cookd, 122
    - dffits, 123
    - h, 122
    - lcl, 126
    - lclm, 125
    - predicted, 120
    - residual, 121
    - rstudent, 121
    - student, 121
    - ucl, 126
    - uclm, 125
  - outssc option, 127
  - ridge option, 156
  - stats option, 170
  - stb option, 124
  - test statement, 118, 119
- proc report, 11
- proc robustreg, 156
- proc sgpanel, 193, 215, 217, 221, 232, 250
  - loess statement, 244
  - panelby statement, 193, 221, 232, 250
  - pbspline statement, 232, 244
  - scatter statement, 221
  - vbox statement, 193
- proc sgplot, 217, 219
  - density statement, 245
  - dot statement, 212
  - hbar statement, 211
  - hbox statement, 214, 215
  - loess statement, 244
  - pbspline statement, 244
  - reg statement, 244
    - degree option, 244
  - vbar statement, 211

- vbox statement, 214, 215
- proc sgrender, 220, 232
- proc sgscatter, 217, 218, 221, 236, 239, 250
  - matrix statement, 221, 236, 239
    - diagonal option, 221
- proc simnormal, 56
- proc sort, 35, 44, 52, 136, 281, 322
  - by statement, *see* by statement
  - nodupkey option, 32
  - nouniquekey option, 32
- proc sql, 29, 336
- proc standard, 85
- proc summary, 83, 86, 277, 281, 303
- proc surveyfreq, 168
- proc surveylogistic, 168
- proc surveymeans, 168
- proc surveyreg, 168
- proc tabulate, 11
- proc template, 106
- proc transpose, 33, 34, 189
- proc tree, 168, 209
- proc ttest, 93, 107
- proc univariate, 83, 84, 101
  - cdfplot statement, 214
  - histogram statement, 101, 137, 208, 213, 245
    - haxis option, 137
    - kernel option, 137, 213, 220
    - normal option, 137
  - normal option, 92
  - output statement, 100
  - plot option, 212, 225
  - qqplot statement, 136, 225
  - quantiles, 85
  - trimmed option, 84
- proc varclus, 168, 209
- prxchange (Perl expression function), 29
- prxmatch (Perl expression function), 29
- prxparen (Perl expression function), 29
- prxparse (Perl expression function), 29
- prxposn (Perl expression function), 29
- ps option
  - options statement, 349
- ps output, *see* ods
- pseudo-random number generator
  - set seed, 55
- qqplot statement
  - proc univariate, 136, 225
- qtr(x), 38
- quantile('DIST', params), 54
- quantreg procedure, *see* proc quantreg
- quit, 356
- rand('DIST', params), 54–56, 58, 261, 268, 269
- random number generator
  - set seed, 55
- random statement
  - proc glimmix, 161, 199
  - proc mixed, 158–160, 194, 195
- ranexp(seed), 58, 274
- rannor(seed), 56
- rantbl(seed, params), 56
- rantbl(seed, params), 261
- ranuni(seed), 55
- read (proc iml statement), 63
- read data, 5
- rect macro, 247
- ref option
  - proc genmod, 295
- reg procedure, *see* proc reg
- reg statement
  - proc sgplot, 244
- rehrisk option
  - proc freq, 103
    - tables statement, 87
- rename (dataset option), 19
- rename statement, 19
  - data step, 33
- repeated option
  - symbol statement, 227
- repeated statement
  - proc genmod, 161, 197
  - proc mixed, 157, 190
- reset option
  - goptions statement, 136, 253
- Results Tab, 341
- retain statement
  - data step, 88, 322
- ridge option
  - proc reg, 156
- rightmargin option
  - options statement, 253
- robustreg procedure, *see* proc robustreg
- round(x), 60
- rtf output, *see* ods
- SAS log, 80
- scale option
  - proc genmod, 150

- scan(charvar,count), 26
- scatter statement
  - proc sgpanel, 221
- seed
  - random number generator, 55
- selection option
  - proc glmselect, 171
- set statement
  - conditional, 88
  - data step, 1, 6, 12, 43, 88, 172
  - in option, 319
- set; by, 22
- setinit file, 341
- sgpanel procedure, *see* proc sgpanel
- sgplot procedure, *see* proc sgplot
- sgscatter procedure, *see* proc sgscatter
- shape (proc iml function), 67
- shape option
  - legend statement, 129
- simnormal procedure, *see* proc
  - simnormal
- sin(x), 60
- sleep(x), 79
- solution option
  - proc glm, 117
  - proc mixed, 158, 285
- spearman option
  - proc corr, 89
- sqrt(x), 59, 264, 268
- standard procedure, *see* proc standard
- statements, 349
- statename(charvar), 328
- stats option
  - proc reg, 170
- stb option
  - proc reg, 124
- std(x1,...,xk), 59
- stimer option
  - options statement, 78
- strata statement
  - proc lifetest, 95, 112
  - proc logistic, 151
- streaminit, *see* call streaminit
- strip(charvar), 27, 195
- submitting code, 343
- substr(char,pos,nchars), 33
- substr(charvar,pos,nchars), 23, 26, 110, 330
- sum(x1,...,xk), 46, 59
- summary procedure, *see* proc summary
- survey procedures, *see* proc survey
- svd (proc iml function), 68
- symbol statement, 103, 110, 129, 139, 226
  - color option, 69, 255
  - height option, 129, 242
  - j interpolation, 69
  - line option, 69, 254
  - pointlabel option, 249
  - rc interpolation, 244
  - repeated option, 227
  - rl interpolation, 244
  - rlcli interpolation, 226
  - rlclm interpolation, 226
  - rq interpolation, 244
  - sm interpolation, 129, 244
  - spline interpolation, 244
  - stepj interpolation, 227
  - value option, 69, 242
  - width option, 69, 255
- symbolgen option
  - options statement, 76
- symput, *see* call symput
- sysfunc macro, 64
- system, *see* call system
- t(A) (proc iml function), 64
- Table Editor, 10
- tables statement
  - proc freq, 86, 87, 89, 91, 92, 103, 188, 286
  - agree option, 92
  - relrisk option, 87
- tan(x), 60
- test statement
  - proc reg, 118, 119
- time(), 39
- timepart(x), 331
- title statement, 11, 110, 246, 252
  - height option, 252
- today(), 37
- topmargin option
  - options statement, 253
- translate(charvar,'old','new'), 27
- transparency, 219
- trimmed option
  - proc univariate, 84
- truncover option
  - data step, 81
- ttest procedure, *see* proc ttest
- type option
  - proc gchart, 216

- type=corr dataset, 56
- type=cov dataset, 56
- uniform(seed), 55, 243, 264
- univariate procedure, *see* proc univariate
- unquote macro, 334
- upcase(charvar), 27
- use (proc iml statement), 63
- value option
  - legend statement, 69, 248
  - symbol statement, 69, 242
- vaxis option
  - proc gplot, 230
- vbar statement
  - proc gchart, 211
  - proc sgplot, 211
- vbar3d statement
  - proc gchart, 211
- vbox statement
  - proc sgpanel, 193
  - proc sgplot, 214, 215
- vecdiag(A) (proc iml function), 67
- Viewtable, 10, 19
- vmatch macro, 300
- vref option
  - proc gplot, 320
- vsize option
  - goptions statement, 250
- weekday(x), 38
- where (data set option), 190
- where (dataset option), 30, 350
- where statement, 30, 46, 48, 51, 195, 285, 350
- white option
  - proc model, 124
- width option
  - symbol statement, 69, 255
- with statement
  - proc corr, 89, 102
- x 'command', 80
- x (command), 79, 80
- xml file type, 14
- xml output, *see* ods
- xpx option
  - proc glm, 127
  - proc reg, 127
- year(x), 38