

# SDM4 in R: Understanding Randomness (Chapter 10)

*Nicholas Horton (nhorton@amherst.edu) and Patrick Frenett*

*January 2, 2017*

## Introduction and background

This document is intended to help describe how to undertake analyses introduced as examples in the Fourth Edition of *Stats: Data and Models* (2014) by De Veaux, Velleman, and Bock. More information about the book can be found at [http://wps.aw.com/aw\\_deveaux\\_stats\\_series](http://wps.aw.com/aw_deveaux_stats_series). This file as well as the associated R Markdown reproducible analysis source file used to create it can be found at <http://nhorton.people.amherst.edu/sdm4>.

This work leverages initiatives undertaken by Project MOSAIC (<http://www.mosaic-web.org>), an NSF-funded effort to improve the teaching of statistics, calculus, science and computing in the undergraduate curriculum. In particular, we utilize the `mosaic` package, which was written to simplify the use of R for introductory statistics courses. A short summary of the R needed to teach introductory statistics can be found in the `mosaic` package vignettes (<http://cran.r-project.org/web/packages/mosaic>).

## Chapter 10: Understanding Randomness

### Section 10.1: What is Randomness?

### Section 10.2: Simulating by Hand

Shown below is the box and whisker plot from page 284.

```
library(mosaic)
obs <- c(5,4,7,5,18,6,5,4,6)
ID <- 1:length(data)
data <- data.frame(ID, obs)

bwplot(~obs, data=data)
```

